

for

By

Filed

October 29, 2001

[illegible]

HAND-HELD ELECTRONIC CHECKBOOK

BACKGROUND OF THE INVENTION

5 The disclosure relates generally to hand-held computing devices, and more particularly to a method and apparatus for using an electronic checkbook. The electronic checkbook is intended to replace the typical paper and pen checkbook carried by consumers.

10 Paper checkbooks are known in the art. However currently checkbook users must manually add deposits and subtract debits. As a result, errors are made and account balances are inaccurately reflected. The result is that users can be unaware of their true account balances, which can result in bounced checks, credit reporting difficulties and costly overdraft fees. Paper checkbooks also result in translation problems as individual handwriting quality varies.

15 Check writing software is also known in the art. The software is usually loaded onto a user's home computer for use in printing checks in the home. Limitations of software-based check writing are that the user is unwilling or unable to transport his computer and printer each time he needs to write a check. The result is that the user ends up using the paper checkbook while he is out and about, and he uses his software-based check writing program while at home. This dual
20 usage requires the user to be vigilant in cross-recording his transactions to ensure that his account balance is accurately maintained at all times.

BRIEF DESCRIPTION OF THE DRAWINGS

25 FIG. 1 is a schematic block diagram of an embodiment of the electronic checkbook.

FIG. 2 is an illustration of a physical embodiment of the electronic checkbook.

FIG. 3 is a check template that can be rendered on a display or on a printed check.

30 FIG. 4 is an illustration of an embodiment of the electronic checkbook's setup/configuration menu items.

DETAILED DESCRIPTION OF THE INVENTION

The disclosure involves a touch-sensitive LCD attached to a small microcontroller- powered computer. The electronic checkbook also comprises a printer capable of printing check-sized documents. The user inputs data into the electronic checkbook by touching the sensitive LCD screen, typing into the keyboard or using an electronic pen or stylus to activate a simulated keyboard.

FIG. 1 is a schematic block diagram of an embodiment of the electronic checkbook 10. In this embodiment the electronic checkbook 10 comprises a housing 12, a user display 14, a data input device or keyboard 16, a printer 18, a processor 20 and a battery well 22. The electronic checkbook 10 also has a wireless input/output port 24 and an A/C adapter port 26. The housing 12 is small enough such that the electronic checkbook 10 is a hand-held device that can fit into a briefcase or a purse and comprises plastic or metal to provide support and protection for the electronics contained within. The housing contains the display 14, data input device 16, printer 18 and processor 20.

FIG. 2 is an illustration of a physical embodiment of the electronic checkbook. The user display 14 is a flip-up display embedded in the upper half of the housing 12. The display 14 displays familiar check registry information that tracks the check number, check date, check amount, current balance and whether the particular check has been reconciled. The display 14 also contains drop down menus for user-configured categories including a setup menu, payee favorites, memo favorites, a to-do list, check background favorites, and dial-up information. The user display 14 can be a touch-sensitive LCD screen or any other suitable display.

The data input device 16 is embedded in the base of the housing 12 and is visible when the display 14 is flipped up. The data input device 16 can be a touch-sensitive LCD and is composed of alphabetic and numeric characters, in addition to common keys appearing on basic calculators supporting functions such as add, subtract, multiply, and divide. The data input device 16 can also be a standard keyboard or a simulated keyboard for use with an electronic pen or stylus.

The printer 18 is located below the data input device 16 in the base of the housing 12. The printer 18 is not visible to the user other than an opening where the electronic check is printed. The print command, key or icon for the printer 18 can be located on the data input device 16 or the display 14.

5 The processor 20 is also embedded in the base of the housing 12 below the data input device 16 and is not visible to the user. The processor 20 is powered by batteries in the battery well 22 or by an A/C adapter 26.

FIG. 3 is a check template 28 that can be rendered on a display or on a printed check. The check template 28 contains fields for completion, some of which are completed by a user with the remainder being completed by the electronic checkbook. These fields include: the user's name and address 30, the date 32, the check number 34, the payee line 36, the dollar amount in numeric form 38, the dollar amount in text form 40, the user's bank information 42, the memo line 44, the signature line 46, and the routing information 48 containing the user's bank account number 50. With the exception of the memo line 44, these fields must generally be completed prior to presentment for payment at a bank.

FIG. 4 is an illustration of setup/configuration menu items 52. The user configures the electronic checkbook 10 with user identifying information such as the user's password 54, the user's name and address 56, the user's bank or other financial institution name and address 58, the user's account number 50, the user's financial institution routing number 48, the user's financial institution dial-up information 60, the user's beginning check number 62, and the user's beginning account balance 64. If not already preset in the electronic checkbook 10 the user will also enter the date and time 66. The setup/configuration menu 52 can also support an electronic signature 68 and user favorite settings 70.

EXAMPLES OF USE

Those with skill in the art will appreciate that the electronic checkbook 10 can use any suitable paper, including single sheets of paper and rolls of paper. In addition, the printer can be any type of printer 18 that can be housed in a hand-held device.

The advantages of the electronic checkbook 10 are many. With the electronic checkbook 10, the account balance is automatically calculated after each check is written or each deposit made. The updated account balance is immediately available to the user. As a result, fewer users will overdraw their accounts resulting in a savings of costly overdraft fees. The checks printed by the electronic checkbook 10 are also printed and are easier to read, resulting in fewer translation errors.

Paper checkbooks are also time consuming. To complete check writing with a paper checkbook, the user must fill out each field of the check prior to signing the check. The electronic checkbook 10 requires the completion of only two fields, the payee line 36 and the numeric amount of the check 38. These check fields can be completed by typing the data into a keyboard 16 or a touch-sensitive LCD display 14, or by writing the data with an electronic pen or stylus (known but not shown). Alternatively, the user can make selections from pull-down menus (known but not shown). The electronic checkbook 10 automatically inserts the remaining information. After the required data has been entered the user can select a print command from the data input device 16 or the display 14 and can print the electronic check directly from the electronic checkbook 10. The electronic check can be signed after it is printed.

In an additional embodiment, the electronic check can be signed before printing using an electronic signature 68. The electronic signature 68 can be a digital signature created with the use of an electronic pen and can be stored in the electronic checkbook. The electronic signature can also be a biometric adopted as a digital signature, for example, a digital version of the user's thumb-print.

In an embodiment of the invention, the payee line 36 can be completed by selecting among one or more favorite entities from a group of favorites stored in the electronic checkbook 10. The memo line 36 can also be completed by selecting from a group of favorite choices. This feature allows a user to keep better track of how funds are spent. For example the check might be for rent/mortgage, car payment, car insurance, groceries, clothing, or entertainment. Additional customized memo options may be created.

would appear as a deduction on the electronic checkbook on those dates. With paper checkbooks, a user must remember to enter this information and the entry must be done manually. Likewise a user with automatic payroll deposit would automatically have his standard payroll amount appear as a deposit on the payday.

5 A further embodiment of the electronic checkbook allows the user to configure a to-do list that has the capability to use the display 14 to prompt the user through a series of checks on demand that represent repetitive expenditures. These checks on demand represent checks that the user must write each month. Examples of such checks include: rent/mortgage, car payment, car insurance, groceries, and
10 entertainment expenses.

The electronic checkbook 10 also has security superior to paper checkbooks. Paper checkbooks can be used by unauthorized parties who can also write forged checks. Thus, the electronic checkbook 10 preferably requires entry of a password before information is available to a user. Alternative embodiments use stored
15 digital signatures or biometric identification in conjunction with electronic checkbook security.

In addition to functioning as an electronic checkbook 10, the electronic checkbook 10 can also be used to store phone numbers, dates, calendar entries and addresses. Additionally, the electronic checkbook 10 has a built-in calculator (not
20 shown) that can be used for applications beyond account balancing. For example, the calculator allows simple or more complex banking-related or other functions, e.g. loan or mortgage amortization, present and future investment valuation, etc.

Finally, those of skill in the art will appreciate that the invented method and apparatus described and illustrated herein may be implemented in software,
25 firmware or hardware, or any suitable combination thereof. Preferably, the method and apparatus are implemented in a combination of hardware and firmware, for purposes of low cost and flexibility. Thus, those of skill in the art will appreciate that parts of the method and apparatus of the invention may be implemented by a computer or microprocessor process in which instructions are
30 executed, the instructions being stored for execution on a computer-readable medium and being executed by any suitable instruction processor. Alternative

embodiments are contemplated, however, and are within the spirit and scope of the invention.

Having described and illustrated the principles of the invention in a preferred embodiment thereof, it should be apparent that the invention can be modified in arrangement and detail without departing from such principles. I claim all modifications and variation coming within the spirit and scope of the following claims.

1870
 1871
 1872
 1873
 1874
 1875
 1876
 1877
 1878
 1879
 1880
 1881
 1882
 1883
 1884
 1885
 1886
 1887
 1888
 1889
 1890
 1891
 1892
 1893
 1894
 1895
 1896
 1897
 1898
 1899
 1900
 1901
 1902
 1903
 1904
 1905
 1906
 1907
 1908
 1909
 1910
 1911
 1912
 1913
 1914
 1915
 1916
 1917
 1918
 1919
 1920
 1921
 1922
 1923
 1924
 1925
 1926
 1927
 1928
 1929
 1930
 1931
 1932
 1933
 1934
 1935
 1936
 1937
 1938
 1939
 1940
 1941
 1942
 1943
 1944
 1945
 1946
 1947
 1948
 1949
 1950
 1951
 1952
 1953
 1954
 1955
 1956
 1957
 1958
 1959
 1960
 1961
 1962
 1963
 1964
 1965
 1966
 1967
 1968
 1969
 1970
 1971
 1972
 1973
 1974
 1975
 1976
 1977
 1978
 1979
 1980
 1981
 1982
 1983
 1984
 1985
 1986
 1987
 1988
 1989
 1990
 1991
 1992
 1993
 1994
 1995
 1996
 1997
 1998
 1999
 2000
 2001
 2002
 2003
 2004
 2005
 2006
 2007
 2008
 2009
 2010
 2011
 2012
 2013
 2014
 2015
 2016
 2017
 2018
 2019
 2020
 2021
 2022
 2023
 2024
 2025
 2026
 2027
 2028
 2029
 2030
 2031
 2032
 2033
 2034
 2035
 2036
 2037
 2038
 2039
 2040
 2041
 2042
 2043
 2044
 2045
 2046
 2047
 2048
 2049
 2050
 2051
 2052
 2053
 2054
 2055
 2056
 2057
 2058
 2059
 2060
 2061
 2062
 2063
 2064
 2065
 2066
 2067
 2068
 2069
 2070
 2071
 2072
 2073
 2074
 2075
 2076
 2077
 2078
 2079
 2080
 2081
 2082
 2083
 2084
 2085
 2086
 2087
 2088
 2089
 2090
 2091
 2092
 2093
 2094
 2095
 2096
 2097
 2098
 2099
 2100
 2101
 2102
 2103
 2104
 2105
 2106
 2107
 2108
 2109
 2110
 2111
 2112
 2113
 2114
 2115
 2116
 2117
 2118
 2119
 2120
 2121
 2122
 2123
 2124
 2125
 2126
 2127
 2128
 2129
 2130
 2131
 2132
 2133
 2134
 2135
 2136
 2137
 2138
 2139
 2140
 2141
 2142
 2143
 2144
 2145
 2146
 2147
 2148
 2149
 2150
 2151
 2152
 2153
 2154
 2155
 2156
 2157
 2158
 2159
 2160
 2161
 2162
 2163
 2164
 2165
 2166
 2167
 2168
 2169
 2170
 2171
 2172
 2173
 2174
 2175
 2176
 2177
 2178
 2179
 2180
 2181
 2182
 2183
 2184
 2185
 2186
 2187
 2188
 2189
 2190
 2191
 2192
 2193
 2194
 2195
 2196
 2197
 2198
 2199
 2200
 2201
 2202
 2203
 2204
 2205
 2206
 2207
 2208
 2209
 2210
 2211
 2212
 2213
 2214
 2215
 2216
 2217
 2218
 2219
 2220
 2221
 2222
 2223
 2224
 2225
 2226
 2227
 2228
 2229
 2230
 2231
 2232
 2233
 2234
 2235
 2236
 2237
 2238
 2239
 2240
 2241
 2242
 2243
 2244
 2245
 2246
 2247
 2248
 2249
 2250
 2251
 2252
 2253
 2254
 2255
 2256
 2257
 2258
 2259
 2260
 2261
 2262
 2263
 2264
 2265
 2266
 2267
 2268
 2269
 2270
 2271
 2272
 2273
 2274
 2275
 2276
 2277
 2278
 2279
 2280
 2281
 2282
 2283
 2284
 2285
 2286
 2287
 2288
 2289
 2290
 2291
 2292
 2293
 2294
 2295
 2296
 2297
 2298
 2299
 2300
 2301
 2302
 2303
 2304
 2305
 2306
 2307
 2308
 2309
 2310
 2311
 2312
 2313
 2314
 2315
 2316
 2317
 2318
 2319
 2320
 2321
 2322
 2323
 2324